

8.2. *Watershed Protection Plan (WPP):*

The permittee did not conduct a Watershed Assessment (WA) nor prepare a Watershed Protection Plan (WPP) as required by the current permit. The City will be required to complete a WA and WPP in accordance with the Notice of Violation transmitted to the City on November 6, 2025.

8.3. *Sludge Management Plan (SMP):*

Sludge is disposed of in a landfill (Evergreen Landfill Advance Disposal, 3163 Wetherington Lane, Valdosta, GA 31601). An approved SMP is not required.

8.4. *Industrial Pretreatment Program (IPP):*

The permittee does not have an approved IPP; therefore, language for establishing an IPP, if necessary, has been included in the draft permit.

8.5. *Operator Certification:*

Class II

8.6. *Compliance Schedules:*

Discharge limitations are applicable immediately upon the effective date of the permit.

9. *Reporting*

The facility has been assigned to the following EPD office for reporting, compliance and enforcement:

Georgia Environmental Protection Division
Watershed Compliance Program
2 Martin Luther King Jr. Drive,
Suite 1470A East
Atlanta, GA 30334

10. *Procedures for the Formulation of Final Determinations*

10.1 *Comment Period*

The Georgia Environmental Protection Division (EPD) proposes to issue a permit to this applicant subject to the discharge limitations and special conditions outlined above. These determinations are tentative.