

**6. REPORTING****6.1 Compliance office**

The facility has been assigned to the following EPD office for reporting, compliance and enforcement:

Georgia Environmental Protection Division  
Southwest District – Albany Office  
2024 Newton Road  
Albany, Georgia 31701

**6.2 E-Reporting**

The permittee is required to electronically submit documents in accordance with 40 CFR Part 127.

**7. REQUESTED VARIANCES OR ALTERNATIVES TO REQUIRED STANDARDS**

Not applicable

**8. PERMIT EXPIRATION**

The permit will expire five years from the effective date.

**9. PROCEDURES FOR THE FORMULATION OF FINAL DETERMINATIONS****9.1 Comment Period**

The Georgia Environmental Protection Division (EPD) proposes to issue a permit to this applicant subject to the effluent limitations and special conditions outlined above. These determinations are tentative.

The permit application, draft permit, and other information are available for review at 2 Martin Luther King Jr. Drive, Suite 1152 East, Atlanta, Georgia 30334, between the hours of 8:00 a.m. and 4:30 p.m., Monday through Friday and on EPD's website accessible through the publicly available Georgia EPD Online System (GEOS) at: <https://geos.epd.georgia.gov/GA/GEOS/Public/GovEnt/Shared/Pages/Main/Login.aspx>  
For additional information, you can contact 404-463-1511.

**9.2 Public Comments**

Persons wishing to comment upon or object to the proposed determinations are invited to submit same in writing to the EPD address above, or via e-mail at [EPDcomments@dnr.ga.gov](mailto:EPDcomments@dnr.ga.gov) within 30 days of the initiation of the public comment period. All comments received prior to that date will be considered in the formulation of final determinations regarding the application. The permit number should be placed on the top of the first page of comments to ensure that your comments will be forwarded to the appropriate staff.