



Inches  
4  
1  
0 1/2




A POND 4-1 SECTION  
C-2/3 NTS



B POND 4-1 SECTION  
C-2/3 NTS

C POND 4-4 SECTION  
C-2/3 NTS

FILL AREA BELOW FINAL POND GRADE WITH CLEAN WELL-DRAINED SAND, HAVING LESS THAN 5% FINES (NO CLAYS OR SILTS PERMITTED)



FILL AREA BELOW FINAL POND GRADE WITH CLEAN WELL-DRAINED SAND, HAVING LESS THAN 5% FINES (NO CLAYS OR SILTS PERMITTED)

D POND 4-4 SECTION  
C-2/3 NTS

POND NOTES:

1. PONDS SHALL BE EXCAVATED TO ROUGH GRADE INITIALLY AND USED AS SEDIMENT BASINS. ONCE MAJOR SOIL DISTURBING ACTIVITIES ARE COMPLETED, PONDS WILL BE EXCAVATED TO FINAL GRADE.
2. ALL POND SIDE SLOPES SHALL BE SODDED TO 3' BEYOND THE TOE OF SLOPE.
3. POND BOTTOMS SHALL BE SEED & MULCHED OR SODDED WITH SAND GROWN SOD.
4. SEE GENERAL NOTES SHEET FOR OTHER STABILIZATION NOTES

PLOT DATE: 9/11/2018 2:27 PM  
FILE NAME: T:\PROJECTS\Joff\Interstate Engineering\Sabal Trail Gas Transmission\Phase II02 CS 6\_DUNNELLON\CADD\1799-CS6-MD-PROP-ESC-PLAN.dwg

ENGINEER OF RECORD

SCOTT P. WESSON  
PE NO. 52801

SABAL TRAIL TRANSMISSION, LLC

DUNNELLON COMPRESSOR STATION (CS6)

DETAILS 1

CLIENT:

PROJECT:

SHEET TITLE



CORPORATE OFFICE:  
4050 W. BOY SCOUT BLVD.  
TAMPA, FL 33607  
AUTHORIZATION NO. 24

LOCAL OFFICE:  
482 S. KELLER ROAD  
ORLANDO, FL 32810  
TEL. 407.647.7275  
FAX. 407.606.4500

WWW.ATKINSGLOBAL.COM

JOB NO.:

DESIGNED:

DRAWN:

SHEET NO.

CHECKED:

APPROVED:

C-4