

## Attachment 1 Evaluation Criteria for RFQ 41325

More than adequate: 8 – 10  
Adequate: 5 – 7  
Less than adequate: 1 – 4  
Not covered in qualifications submittal: 0

TAB	CRITERIA	WEIGHT
1	Forms and Professional Licenses	15%
2	Respondent's and subconsultants' overall qualifications, capabilities, and business certifications, including: (1) Minimum Flows and Levels, (2) Hydrogeology, (3) Groundwater modeling, (4) Regulatory permitting in Florida, (5) Wastewater treatment storage, (6) Pumping and treatment design, (7) Treatment wetland project design, (8) Recharge wetland project design, (9) Wastewater effluent discharge to natural wetlands, (10) Wastewater effluent discharge to surface waters, (11) National Pollutant Discharge Elimination System (NPDES) compliance, (12) Total Maximum Daily Loads (TMDL) compliance, (13) Basin Management Action Plan (BMAP) compliance, (14) Rapid Infiltration Basin (RIB) project design, (15) Aquifer recharge well project design, (16) Aquifer Storage and Recovery project design, (17) Wastewater treatment project design, (18) Water ozonation project design, per- and polyfluoroalkyl substances (PFAS/PFOS) treatment project design, and (19) Emerging contaminants of concern.	35%
3	Respondent's approach and ability to provide the required professional services as presented in the Statement of Work	45%
4	Location of Respondent's Management Office or Project Manager	2%
5	Volume of District work previously awarded to Respondent	3%
<b>TOTAL:</b>		100%