


**Table 2-3 Average Annual Municipal Water Demand Forecast by County (MGD)**

County	2020	2025	2030	2035	2040	2045	2050	2055	2060	% Change
Atkinson	0.87	0.87	0.87	0.87	0.86	0.84	0.83	0.81	0.80	-8.3%
Bacon	1.34	1.37	1.40	1.37	1.34	1.29	1.24	1.19	1.14	-15.1%
Ben Hill	2.45	2.40	2.36	2.29	2.23	2.15	2.07	2.01	1.95	-20.4%
Berrien	2.14	2.15	2.17	2.16	2.15	2.12	2.10	2.08	2.06	-3.7%
Brantley	1.96	1.99	2.02	1.98	1.93	1.84	1.76	1.65	1.55	-21.0%
Brooks	2.05	2.06	2.07	1.99	1.91	1.81	1.71	1.62	1.52	-25.7%
Charlton	1.43	1.44	1.45	1.41	1.36	1.29	1.23	1.16	1.09	-24.2%
Clinch	0.81	0.81	0.81	0.81	0.81	0.82	0.82	0.84	0.85	6.0%
Coffee	7.29	7.36	7.48	7.57	7.66	7.67	7.67	7.63	7.60	4.2%
Cook	2.38	2.41	2.44	2.37	2.31	2.20	2.11	1.99	1.88	-20.9%
Echols	0.40	0.39	0.38	0.36	0.35	0.33	0.31	0.30	0.28	-29.4%
Irwin	1.16	1.18	1.19	1.19	1.19	1.19	1.19	1.19	1.19	2.0%
Lanier	1.03	1.02	1.01	1.00	0.99	0.98	0.97	0.96	0.96	-7.1%
Lowndes	18.25	18.71	19.17	19.40	19.63	19.80	19.98	20.22	20.45	12.1%
Pierce	1.73	1.74	1.75	1.75	1.75	1.74	1.73	1.72	1.72	-0.8%
Tift	6.24	6.30	6.35	6.35	6.35	6.32	6.28	6.24	6.21	-0.5%
Turner	1.40	1.41	1.42	1.37	1.32	1.27	1.21	1.16	1.10	-21.2%
Ware	3.69	3.70	3.71	3.70	3.69	3.66	3.64	3.64	3.63	-1.7%
<b>Total</b>	<b>56.63</b>	<b>57.32</b>	<b>58.05</b>	<b>57.94</b>	<b>57.82</b>	<b>57.33</b>	<b>56.85</b>	<b>56.41</b>	<b>55.98</b>	<b>-1.2%</b>



**Figure 2-1**  
**Forecasted Municipal Water Demand for Suwannee-Satilla Planning Council**